



## Cabinets - Two Phase

Amp	kV	Parking	Product	Top Width	Operating Depth	Base Width	Base Depth	Height
200/600	15/25	Below	 ND-2422850-MG-2125-X-X	42"	28.5"	63"	49"	50"
200/600 w/200A Tap	15/25/35	Above	 ND-2422850-MG-242-X-X	42"	27.5"	63"	49"	50"

## Cabinets - Three Phase





- Rust free fiberglass construction provides years of low maintenance.
- The fiberglass laminate is produced with chopped glass and woven roving.
- Nordic supplied Copper ground systems and brand name junctions are available for factory installation.
- Silicon bronze penta-head bolt, and stainless steel hardware.
- After installing the cabinet, backfill with loose material and use your foot to tamp the material around it.
- UV & Fire resistant.
- Meets ANSI C57.12.28 Pad-Mounted Enclosure Integrity Standard.
- P-107 stainless steel locking system provides double locking.
- Cabinet's mounting plates accommodate a variety of 15/25/35kV, 200A or 600A junctions.
- Four eye-bolts allow the line-person to simply hook-up the cabinet, position it over the cables, and place it in the excavated area.

kV	Amp	Parking	Product	Top Width	Operating Depth	Base Width	Base Depth	Height
200	15	In-Line	 ND-2315-MG-2A5A-X-X	70.5"	15.5"	101.5"	47.5"	53"







# Cabinets - Three Phase

Amp	kV	Parking	Product	Top Width	Operating Depth	Base Width	Base Depth	Height
200	15	In-Line	 <p>ND-315-MG-2A5A-X-X</p>	70.5"	15.5"	94.5"	40"	48"
200/600	15/25		 <p>ND-250-MG-101-X-X</p>	53.5"	23"	67"	37"	34.5"
			 <p>ND-2562448-MG-101-X-X</p>	56"	25"	76.5"	45"	48"
		Above	 <p>ND-2562448-MG-152-X-X</p>	56"	23.75"	76.5"	45"	48"
		In-Line	 <p>ND-325-MG-2C5A-X-X</p>	89"	21"	112.5"	47.5"	48.5"







# Cabinets - Three Phase

Amp	kV	Parking	Product	Top Width	Operating Depth	Base Width	Base Depth	Height
200/600	15/25	Below	 ND-350-MG-101-X-X	53.5"	23"	77.5"	47"	48"
			 ND-360-MG-101-X-X	53.5"	23"	77.5"	47"	54"
			 ND-552436-MG-101-X-X	55.5"	23.5"	72.5"	41.5"	36"
		Above	 ND-552436-MG-152-X-X	55.5"	23.5"	72.5"	41.5"	36"
			 ND-552436-MG-PA58-X-X	55.5"	21.5"	72.5"	41.5"	36"
		Below	 ND-552442-MG-101-X-X	55.5"	23.5"	76.5"	45.5"	42"

# Cabinets - Three Phase

Amp	kV	Parking	Product	Top Width	Operating Depth	Base Width	Base Depth	Height
200/600	15/25	Above	 ND-552442-MG-152-X-X	55.5"	23.5"	76.5"	45.5"	42"
			 ND-552442-MG-PA58-X-X	55.5"	21.5"	76.5"	45.5"	42"
		Below	 ND-552454-MG-101-X-X	55.5"	23.5"	81.5"	51"	54"
			 ND-552454-MG-152-X-X	55.5"	23.5"	81.5"	51"	54"
		Above	 ND-552454-MG-PA58-X-X	55.5"	21.5"	81.5"	51"	54"
200/600 w/200A Tap	15/25/35		 ND-2722850-MG-168-X-X	72"	28"	92.25"	49.25"	50"

# Cabinets - Three Phase

Amp	kV	Parking	Product	Top Width	Operating Depth	Base Width	Base Depth	Height
		Below	 ND-430-MG-101-X-X	68.5"	25.5"	93"	52.5"	53"
			 ND-450-MG-101-X-X	68.5"	29"	96"	55"	64.5"
		Above	 ND-683042-MG-168-X-X	68.5"	28.5"	90"	48.5"	42"
			 ND-683042-MG-PA71-X-X	68.5"	26.5"	90"	48.5"	42"
			 ND-683054-MG-168-X-X	68.5"	28.5"	94"	53"	53.5"
200/600 w/200A Tap	15/25/35	Above	 ND-683054-MG-PA71-X-X	68.5"	26.5"	94"	53"	53.5"